SAFETYSHIELD TM.

Hot Stick Barrier for Ratchet Wire Cutters

*U.S. Patent 5,666,253 Foreign Patents Pending

SUPPLEMENTAL CATALOG BULLETIN 2128.4 JUNE 2007

TO THOSE WHO CLIMB™

In less than a minute, the patented* SAFETYSHIELD[™] Hot Stick Barrier can be mounted on a $1^1/2^{"}$ -diameter Chance[®] Ratchet Wire Cutter[†] handle. That's all it takes to add a 16"-diameter protective screen between a lineman and a potential electrical hazard.

Used by major electric utilities, co-operatives, contractors and industrial customers in the U.S. and abroad, this barrier style fits stritcly on the Ratchet Wire Cutters listed $^\dagger below.$ SAFETYSHIELD $^{\!\scriptscriptstyle \rm M}$ Hot Stick Barrier should be mounted on the hot stick nearest the point where an electrical arc flashback may occur. It is made of two flame-retardant transparent polycarbonate protective shields affixed with a nylon fastener to a nylon 33% glass-filled clamp.







Tested per ASTM Standard F2522-05: Test Method for Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electrical Arc.

Orange protective storage case and Instructions are included with each SAFETYSHIELD™ Hot Stick Barrier.

Ordering Information SAFETYSHIELD™ Hot Stick Barrier for Ratchet Wire Cutters[†]

ioi natonot who duttore		
Catalog No.	Diameter	Weight
PSC4170630	16" (406.4 mm)	1 lb. 6 oz. /0.62 kg.

†See page 2152 for these Ratchet Wire Cutters: Catalog No. C4031381, C4031382, C4031383 & C4031384.



210 North Allen Street Centralia, MO 65240 USA Phone: 573-682-5521 Fax: 573-682-8714



NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.